

FLOAT VALVES



Tank Screens



Part	Product
2990	¼" FPT 50 mesh
2496	3/8" FPT 50 mesh
2497	½" FPT 50 mesh
2498	¾" FPT 50 mesh



Brass "Y" Strainer



Part	Product
1286	½" brass SS screen
1287	¾" brass SS screen
5758	1" brass SS screen



Brass Float Valves



Part	Size
6994	1/2"mpt
6995	3/4"mpt



Part	Size	GPM
2344	3/8"mpt	7.0



ST-8 Float Valves



Part	Size
1712	1/2" fpt 5GPM
1721	1/2" mpt adapter



Roberts Mfg. Brass Float Valve

Includes bulkhead gasket and lock nut



Part	Size
6991	3/8"mpt
6992	1/2"mpt
6993	3/4"mpt



Plastic Float Valve



Part	Size	GPM
1019	3/4"mpt	8.0



Float & Valve Rods



Part	Size
5389	Poly float 5" long
1547	1/4"-20 x 2" rod
1548	1/4"-20 x 8" rod



Float Tank w/Lid

- 1 gallon capacity
- 5"W x 10.5"L x 8.5"H
- With baffle



Part	Product
1018	Plastic float tank



Blue Cap Water Filters



Part	Product
2828	FGH in x 1/2MPT out
2045	Blue replacement cap
3501	Screen, 60 mesh
1750	O-ring



ZMFIL Green Cap Water Filters

Low pressure in-line filter!



- 5.8 GPM maximum
- 145 PSI maximum
- 176° F. maximum

Part	Product
1731	ZMFIL 1/2FPT x 1/2MPT
4884	Green replacement cap
3501	Screen, 60 mesh
1750	O-ring

SCALTROL®

Controls scaling problems caused by the high content of minerals in most water supplies, including calcium carbonate (lime scale), calcium sulfate, iron and manganese.



Scaltrol scale control systems deposit a microscopic film of polyphosphate sequestrant to all surfaces using a patented venturi head. This enables a consistent, effective feed rate of the polyphosphate which dramatically reduces scale build up and downtime.

- Can be used with potable water
- Effective up to 885 ppm (50 grains) of hardness.

SC50 & SC-100 Performance:

Recommended for use in:

Food Service: dish machines, ice makers, steamers, combi-ovens, booster heaters, coffee makers

Commercial: pressure washers, water heaters, laundry machines, medical sterilizers, farms, hospitals, schools, club houses

Residential: whole house, water heaters, dishwashers, washing machines, showers/bathtubs, toilets

SC-50/SC-100 Specifications

Water flow.....up to 10 GPM
 Max. inlet pressure 55 PSI
 Maximum temperature head & sump.....120°
 Inlet/outlet.....3/4"
 Dimensions.....SC-50... 4.5" wide and 7.5" tall
 SC-100...4.5" wide and 12.5" tall



Cartridge is included with 5040 & 5041

Part	Product
5040	SC-50 (50,000 gal)
5041	SC-100 (100,000 gal)
5042	RSC-50 cartridge
5043	RSC-100 cartridge

Water Hardness Scale

Grains/Gallon	Parts/million (ppm)	Classification
less than 1.0	less than 17.1	Soft
1.0-3.5	17.1-60	Slightly Hard
3.5-7.0	60-120	Moderately hard
7.0-10.5	120-180	Hard
Over 10.5	Over 180	Very hard



WARNING: These products can expose you to chromium, nickel and lead, which is known to the state of California to cause cancer and birth defects and other reproductive harm. For more information go to www.P65warnings.ca.gov



Hypro Water Filters

- 150 PSI maximum @ 70°F
- 100 PSI maximum @ 125°F
- 140°F. maximum temp.

Clear Bowl

Part	Size	Screen
4450	½" FPT	50 mesh
4421	½" FPT	80 mesh
4451	¾" FPT	50 mesh
4422	¾" FPT	80 mesh
4455	1" FPT	50 mesh
4423	1" FPT	80 mesh
4475	1¼" FPT	50 mesh
4476	1¼" FPT	80 mesh
4477	1½" FPT	50 mesh
4478	1½" FPT	80 mesh



White Bowl

Part	Size	Screen
4452	½" FPT	50 mesh
4424	½" FPT	80 mesh
4453	¾" FPT	50 mesh
4425	¾" FPT	80 mesh
4454	1" FPT	50 mesh
4426	1" FPT	80 mesh
4431	1¼" FPT	50 mesh
4427	1¼" FPT	80 mesh
4432	1½" FPT	50 mesh
4428	1½" FPT	80 mesh



Replacement Parts

Part	Product
4435	1/2" NPT nylon top
4436	3/4" NPT nylon top
4437	1" NPT nylon top
4438	1 1/4" NPT nylon top
4439	1 1/2" NPT nylon top
4440	Gasket 1/2" & 3/4"
4441	Gasket 1", 1 ¼", 1½"
4429	Clear bowl ½" & ¾"
4430	Clear bowl 1", 1 ¼", 1½"
4433	White bowl ½ & ¾
4434	White Bowl 1", 1¼", 1½
4448	Screen 50 mesh ½" & ¾"
4444	Screen 80 mesh ½" & ¾"
4449	Screen 50 mesh 1"
4445	Screen 80/20 mesh 1"
4442	Screen 50 mesh 1¼"
4443	Screen 50 mesh 1½"
4446	Screen 80 mesh 1¼"
4447	Screen 80/20 mesh 1½"



Water Filters

- Clear bowl filters make it easy to see when cleaning is required
- 50 mesh stainless mesh screen
- Easy to disassemble and assemble for cleaning
- Made with durable long lasting materials EPDM o-ring, stainless steel screen, polycarbonate bowl, nylon body



Part	Size
7065	1/2" FPT I/O 50 mesh screen
7070	1/2" FPT I/O 80 mesh screen
7066	3/4" FPT I/O 50 mesh screen
7071	3/4" FPT I/O 80 mesh screen
7067	1" FPT I/O 50 mesh screen
7072	1" FPT I/O 80 mesh screen
7068	1-1/4" FPT I/O 50 mesh screen
7073	1-1/4" FPT I/O 80 mesh screen
7069	1-1/2" FPT I/O 50 mesh screen
7074	1-1/2" FPT I/O 80 mesh screen
7077	50 mesh screen for 1/2" & 3/4"
7081	80 mesh screen for 1/2" & 3/4"
7078	50 mesh screen for 1" filter
7082	80 mesh screen for 1" filter
7079	50 mesh screen for 1-1/4" filter
7083	80 mesh screen for 1-1/4" filter
7080	50 mesh screen for 1-1/2" filter
7084	80 mesh screen for 1-1/2" filter
7075	Clear bowl 1/2", 3/4" filter
7076	Clear bowl 1", 1-1/4" & 1-1/2"
7085	O-ring for 1/2" & 3/4" filters
7086	O-ring for 1", 1-1/4", & 1-1/2"

Teflon Tape

1/2" x 520'

Part
1492



Loxal Thread Locker

54-03 medium strength for thread locking of nuts and bolts of all types requiring to be dismantled

Part	Product
5003	10ml Blue
5004	50ml Blue
5486	250ml Blue



83-54 high strength for thread locking and sealing of studs, nuts, bolts and fasteners not requiring dismantling.

Part	Product
5006	10ml Permanent
5007	50ml Permanent
5008	250ml Permanent



Garden Hose Brass Connector

Part	Size
2467	MGH x FGH x MGH



Back Flow Preventer

Part	Size
2511	3/4" FGH x 3/4" MGH



WARNING: These products can expose you to chromium, nickel, butadiene, and ethylene glycol which is known to the state of California to cause cancer and birth defects and other reproductive harm. For more information go to www.P65warnings.ca.gov

INLET FILTERS



Garden Hose Accessories



Part	Product
4365	Commercial Nozzle
4621	5/8" x 3/4" male coupler
4622	5/8" x 3/4" female coupler
4620	5/8" x 3/4" hose mender



Swivel GH Pump Inlets



Part	Size
2154	3/4 FGH x 3/8 MPT hex
6429	3/4 FGH x 1/2 MPT hex
2031	3/4FGH x 1/2MPT spring
2334	3/4 FGH x 3/8 FPT hex
2336	3/4 FGH x 1/2 FPT hex
6118	3/4 FGH x 1/2 FBSSP hex
2466	3/4 FGH x 3/4 FPT hex

Swivel w/1/4" Bypass Port & Filter



Part	Size
2400	3/4 FGH x 3/8 MPT
2176	3/4 FGH x 1/2 MPT



Duraview Inlet Filters

- Strongest see through filter on the market
- Load bearing brass spine
- Integrated garden hose connector
- Flow through design
- Clear plastic cover
- Available with or without bypass ports
- For general purpose pressure wash use



- 8 GPM max
- 180°F. max
- 150 PSI max
- 15 PSI min



Part	Inlet	Outlet	Bypass
3798	3/4"FGH	3/8"MPT	(2) 1/4"
5181	3/4"FGH	3/8"MPT	None
3799	3/4"FGH	1/2"MPT	(2) 1/4"
5419	3/4"FGH	1/2"MPT	None
4057	Repair	kit	
6731	Clear	cover	



Inlet King Nipples

For gravity feed systems

- Cadmium plated steel for high pressure performance
- Hex base to allow standard wrench usage
- Assemble directly to pump, no adaptors needed
- Barbs designed to prevent hose slippage & leaks



Part	Size
4003	1-1/4" barb x 1/2MPT
5049	1-1/2" barb x 3/4 MPT



Garden Hose Couplings

MGH x MGH

Part	Size
5844	3/4 x 3/4

MGH x MPT

1290	3/4 x 3/8
2348	3/4 x 1/2
3510	3/4 x 3/4

MGH x FPT

5918	3/4 x 3/8
3511	3/4 x 1/2
3512	3/4 x 3/4

FGH x MPT

3252	3/4 x 1/2
3253	3/4 x 3/4

FGH x FPT

3250	3/4 x 1/2
3251	3/4 x 3/4



Garden Hose Menders

MGH x Barb

Part	Size
2270	3/4 x 5/8
2271	3/4 x 3/4

FGH x Barb

2272	3/4 x 5/8
2273	3/4 x 3/4



Garden Hose Quick Couplers

Part	Product
1738	FGH socket
1739	MGH plug
3725	Washer



Garden Hose Ball Valve

Part	Size
3457	FGH x MGH



Garden Hose Swivel

Part	Size
2274	FGH x FGH



Garden Hose Washers

Part	Product
1737	Washer
2720	Washer 50 pk
1736	Washer w/filter
2717	Wash/filt 25 pk



Pressure Reducing Valve

Reduces inlet water pressure to 40 psi



Part	Size
6887	3/4 FGH x MGH

